

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	123	microscop\$ and ((turret or revolver or (objective near5 holder) or nosepiece or (nose near4 piece) or nose?piece) with (sensor or detect\$4)) and ((stage or platform or translat\$ or ((sample or specimen) near5 holder))) with (sensor or detect\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:03
L2	82	1 and ((imag\$5 or ccd or camera or detect\$4 or film) with (power or current or voltage or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 09:39
L3	28	microscop\$ and (turret or revolver or (objective near5 holder) or nosepiece or (nose near4 piece) or nose?piece) and (stage or platform or translat\$ or ((sample or specimen) near5 holder)) and ((sensor or detect\$4) with stop\$3 with (current or voltage or power or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 11:45
L4	7	microscop\$ and (turret or revolver or (objective near5 holder) or nosepiece or (nose near4 piece) or nose?piece) and (stage or platform or translat\$ or ((sample or specimen) near5 holder)) and ((sensor or detect\$4) with turn\$3 with ("on" or "off") with (current or voltage or power or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 11:47
L23	370	microscop\$ and ((stage or platform or translat\$ or ((sample or specimen) near5 holder))) with (sensor or detect\$4)) and (power near4 switch\$3)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:19
L24	635	microscop\$ and ((stage or platform or translat\$ or ((sample or specimen) near5 holder))) with (sensor or detect\$4)) and ((power\$3 or main) near4 (switch\$3 or main))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:21
L25	70	(microscop\$ with (electronic\$ or electric\$)) and ((stage or platform or translat\$ or ((sample or specimen) near5 holder))) with (sensor or detect\$4)) and ((power\$3 or main) near4 (switch\$3 or main))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 13:24
S1	1327	(359/368).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S2	242	(359/388).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S3	251	(359/381).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05

S4	191	(359/384).CAL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S5	202	(359/392).CAL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S6	232	(359/393).CAL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 11:05
S7	2082	S1 or S2 or S3 or S4 or S5 or S6	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 11:06
S8	55	S7 and microscop\$ and ((turret or revolv\$ same (objective)) and (driv\$4 or sensor) and (power with (source or supply)))	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S9	0	S7 and microscop\$ and (turret or revolv\$ or stage or platform) and ((driv\$4 or sensor) same ((power with (source or supply)) same on same off))	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S10	0	S7 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or sensor)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S11	0	S7 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or controller)) and (((power with (source or supply)) or current or voltage or power) same on same off)	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S12	0	S7 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor and (((power with (source or supply)) or current or voltage or power) same on same off)	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S13	211	S7 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S14	1	S7 and (power near4 (source or supply)) and on and off	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21

S15	205	S7 and (power near4 (source or supply))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S16	1	S7 and (power near4 (source or supply)) and "on" and "off"	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S17	53	S7 and (sensor with (current or power or voltage))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S18	121	S7 and ((sensor or detect\$3) same ((control\$5 or adjust\$4) with (current or voltage or power)))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S19	169	S7 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S20	9	S7 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$) with consum\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S21	37	S7 and (((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$)) same (sensor or detect\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S22	6	((("4714823") or ("4653878") or ("4555620"))).PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:10
S23	104	S7 and microscop\$ and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S24	27	S7 and microscop\$ and (((imag\$5 or ccd or camera or detect\$3) with shutter) same (power or current or voltage or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S25	86	S7 and (((imag\$5 or ccd or camera or detect\$3) with shutter) and (power or current or voltage or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 15:31

S26	239	(359/380).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:30
S27	330	(250/201.3).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:31
S28	565	S26 or S27	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 15:31
S29	13	S28 and microscop\$ and ((turret or revolv\$) same (objective)) and (driv\$4 or sensor) and ((power with (source or supply)))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:22
S30	0	S28 and microscop\$ and (turret or revolv\$ or stage or platform) and ((driv\$4 or sensor) same ((power with (source or supply)) same on same off))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S31	0	S28 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or sensor)) and (((power with (source or supply))) or current or voltage or power) same on same off)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S32	0	S28 and microscop\$ and ((turret or revolv\$ or stage or platform) with (driv\$4 or controller)) and (((power with (source or supply))) or current or voltage or power) same on same off)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:20
S33	0	S28 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor and (((power with (source or supply))) or current or voltage or power) same on same off)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S34	103	S28 and microscop\$ and (turret or revolv\$ or stage or platform) and (driv\$4 or controller) and sensor	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:33
S35	0	S28 and (power near4 (source or supply)) and on and off	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S36	58	S28 and (power near4 (source or supply))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 17:56

S37	0	S28 and (power near4 (source or supply)) and "on" and "off"	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 16:21
S38	28	S28 and (sensor with (current or power or voltage))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:00
S39	55	S28 and ((sensor or detect\$3) same ((control\$5 or adjust\$4) with (current or voltage or power)))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:04
S40	69	S28 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:10
S41	1	S28 and ((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$) with consum\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:14
S42	14	S28 and (((sav\$3 or conserv\$ or lower or reduc\$3) with (power or voltage or current or electric\$)) same (sensor or detect\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:14
S43	30	S28 and microscop\$ and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:15
S44	7	S28 and microscop\$ and (((imag\$5 or ccd or camera or detect\$3) with shutter) same (power or current or voltage or electric\$))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:22
S45	965	microscop\$ and driver and sensor and (power near3 (supply or source)) and controller	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:24
S46	5	microscop\$ and driver and ((sensor or detect\$4) with on?off) and (power near3 (supply or source)) and controller and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:28
S47	224	microscop\$ and (turret or revolver or stage or platform) and ((sensor or detect\$4) with (power\$3 or current or voltage or electric\$)) and (power near3 (supply or source)) and controller and ((imag\$5 or ccd or camera or detect\$3) with shutter)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 18:56

S48	38	microscop\$ and (turret or revolver) and (stage or platform) and ((sensor or detect\$4) with (power\$3 or current or voltage or electric\$) with (apply\$ or remov\$ or (turn near3 on) or (turn near3 off) or on?off)) and (power near3 (supply or source))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/21 19:07
S49	187	microscop\$ and (turret or revolver or (objective near5 holder)) and (stage or platform or translat\$ or ((sample or specimen) near5 holder)) and ((sensor or detect\$4) with (power\$3 or current or voltage or electric\$)) and (power near3 (supply or source))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/24 09:34